



  
**GOLDDER**  
PUBLIC SAFETY EQUIPMENT



浙江鑫鹿安防科技有限公司  
ZHEJIANG GOLDDER SECURITY EQUIPMENT CO.,LTD

地址：平湖市广陈镇广进路8号  
Add.No. 8 GUANGJIN ROAD, GUANGCHEN TOWN,  
PINGHU CITY, ZHEJIANG PROVINCE, CHINA

Tel:0086-573-85827999, 85827993

Fax:0086-573-85827990

E-mail:golddeer88@goldder.net

http://www.lcdwarninglightbar.com

website: www.chinalightbar.com



PRODUCT BROCHURE  
0086-573 6582 7999



## CONTENTS

Headlight	■	Page 5/6
Beacon	■	Page 7/8
Windshield light	■	Page 9/12
Traffic advisor lights	■	Page 13/16
Dash/Deck light	■	Page 17/20
Hide-away light	■	Page 21
Grille light	■	Page 22
Square/Rectangle light	■	Page 23
Mini Lightbar	■	Page 24/30
Lightbar	■	Page 31/40
Siren	■	Page 41/42
Speaker	■	Page 43/44
Bracket	■	Page 45
Hook	■	Page 46
Switches box	■	Page 47
Spike strip	■	Page 48
Body protection	■	Page 49
Helmet & shield	■	Page 50
Transport equipment	■	Page 51
product model indication	■	Page 52



## Company Profile:

Zhejiang Golddeer Security Equipment Co, Ltd is one of the leading manufacturers that specialized in producing lightbar/warning light/strobe light/beacon/siren&speaker/protection equipment) and others related security products in China.

Since our company was established in 1998 ,we are dedicated to the research, design and produce the high quality products all the time .

We are glad to provide prompt service, reliable quality, stable supply and reasonable price for customers from all over the world .And We warmly welcome you to do business together and achieve a win-win result.





#### Main products:

Emergency vehicle warning lights, Siren, Speaker, Spike strip, Self-protection equipment, tran-sport equipment.

#### Market:

70% of the products export to oversea market. USA, Europe, Latin America, Asia are the main market.

#### Certification:

CE and FCC certification already passed. We are able to apply others certification such as SAE, E-mark, Rohs, ect if it is needed.

#### R&D:

High qualified engineers are being employed. Customized products can be developed within 30 days. 30% of annual profit invest in research which keeps us at the forefront of the industry.

#### Management and warranty:

The company executes strict and complex quality control and management system during the test and production processes. The company offers extended warranty to its products.

The warranty includes replacing defective parts or products free of charge during the guarantee period.

#### 13 years of endeavor makes us one of the leading manufacturer in the industry.

Prompt service, reliable quality, stable supply and reasonable price are guaranteed! We warmly welcome customers from all over the world to do business together and achieve a win-win result.





GXT-8



GXT-4



GXT-6



SL6231



SL6201



SL6241



SL623



SL620



SL624



SL623-S



SL6201-S



SL621



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
GXT-8	8W	1W Gen-3 LED, 11-22 kinds Patterns to Choose, Pattern Memory, Support Synchronous or Asynchronous	0.14/0.15kg	140x52x30mm	1
GXT-6	6W		0.14/0.15kg	170x40x35mm	1
GXT-4	4W		0.09/0.1kg	125x40x35mm	1
SL6231	3W		0.09/0.1kg	97x40x35mm	1
SL6201	4W		0.09/0.1kg	120x40x35mm	1
SL6241	6W	0.14/0.15kg	165x40x35mm	1	

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL623	3W	1W Gen-3 LED, 11-22 kinds Patterns to Choose, Pattern Memory, Support Synchronous or Asynchronous	0.14/0.15kg	110x45x45mm	1
SL620	4W		0.14/0.15kg	130x45x45mm	1
SL624	6W		0.19/0.2kg	170x45x45mm	1
SL623-S	3W		0.14/0.15kg	110x45x45mm	1
SL6201-S	4W		0.09/0.1kg	115x40x40mm	1
SL621	6W		0.23/0.23kg	175x80x55mm	1



TBD348-LEDIII



TBD311-LEDIII



TBD343-LEDIII



TBD347a-LEDIII




TBD342-LEDIII



TBD347b-LEDIII



TBD345-LEDI



TBD346-LEDI



TBD846-8K



TBD341-LEDI



#### TECHNICAL PARAMETER


MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD348-LEDIII	12W	1W Gen-3 LED	0.7/0.8kg	150 × 150 × 145mm	1
TBD311-LEDIII	4W/8W	1W Gen-3 LED	0.6/0.7kg	130 × 130 × 120mm	1
TBD342-LEDIII	12W	1W Gen-3 LED	0.7/0.8kg	155 × 155 × 160mm	1
TBD347b-LEDIII	12W	1W Gen-3 LED	1.1/1.3kg	170 × 170 × 145mm	1
TBD846-8K	32W	1W Gen-3 LED	0.8/1.0kg	160 × 160 × 110mm	1

#### TECHNICAL PARAMETER


MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD343-LEDIII	12W	1W Gen-3 LED	0.6/0.7kg	115 × 115 × 155mm	1
TBD347a-LEDIII	12W	1W Gen-3 LED	0.9/1kg	170 × 170 × 145mm	1
TBD345-LEDI	10W	∓ 5 Gen-1 LED	1/1.1kg	110 × 110 × 155mm	1
TBD346-LEDI	10W	∓ 5 Gen-1 LED	1/1.1kg	125 × 125 × 165mm	1
TBD341-LEDI	10W	∓ 5 Gen-1 LED	1.1/1.2kg	180 × 180 × 235mm	1



GXT-401




GXT-402



GXT-601



GXT-602



SL4T-V




SL4T-SV




SL331-SV



SL332-SV



SL361-SV



SL362-SV



SL681-V



SL682-V



#### TECHNICAL PARAMETER


MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
GXT-401	4W	1W Gen-3 LED	0.6/0.8kg	150x160x100mm	1
GXT-402	8W	1W Gen-3 LED	0.9/1.1kg	260x160x100mm	1
GXT-601	6W	1W Gen-3 LED	0.7/0.9kg	185x160x100mm	1
GXT-602	12W	1W Gen-3 LED	1.1/1.3kg	340x160x100mm	1
SL4T-V	4W	1W Gen-3 LED	0.3/0.4kg	165x156x55mm	1
SL4T-SV	4W	1W Gen-3 LED	0.3/0.4kg	165x156x55mm	1

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL331-SV	6W	1W Gen-3 LED.	0.6/0.8kg	250x120x60mm	1
SL332-SV	12W	15-19 kinds patterns to choose with power and pattern switches.	1.1/1.3kg	420x120x60mm	1
SL361-SV	12W	15-19 kinds patterns to choose with power and pattern switches.	0.7/0.9kg	340x120x60mm	1
SL362-SV	24W	15-19 kinds patterns to choose with power and pattern switches.	1.2/1.4kg	550x120x60mm	1
SL681-V	16W	15-19 kinds patterns to choose with power and pattern switches.	1.1/1.3kg	315x150x55mm	1
SL682-V	32W	15-19 kinds patterns to choose with power and pattern switches.	1.7/1.9kg	550x150x55mm	1



SL331-V




SL332-V



SL361-V




SL341-V



SL342-V




SL631-V




SL632-V



SL36S-V



SL34S-V



SL661-V



SL662-V



TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL331-V	6W	1W Gen-3 LED,	0.6/0.8kg	280x120x60mm	1
SL332-V	12W	15-19 kinds patterns to choose,cigar with power and pattern	1.1/1.3kg	420x120x60mm	1
SL341-V	8W	switches pattern	0.7/0.9kg	340x120x60mm	1
SL342-V	16W	memory, strong	1.2/1.4kg	550x120x60mm	1
SL36S-V	6W	memory, strong	0.6/0.8kg	245x125x65mm	1
SL34S-V	4W	suction cups	0.5/0.6kg	230x120x60mm	1

TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL361-V	12W	1W Gen-3 LED,	0.75/0.95kg	415x120x60mm	1
SL631-V	12W	15-19 kinds patterns to choose,cigar with power and pattern	1.1/1.3kg	260x150x65mm	1
SL632-V	24W	switches pattern	1.4/1.6kg	445x150x65mm	1
SL661-V	12W	memory, strong	1.1/1.2kg	315x150x65mm	1
SL662-V	24W	memory, strong suction cups	1.7/1.9kg	550x150x65mm	1





SL243



SL783



SL763



SL683



SL244



SL784



SL764




SL684



SL245



SL785



SL765



SL685



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL243	24W	1W Gen-3 LED, directional function, 15-25 kinds Patterns to Choose. Cigar with power and pattern switches, Pattern Memory	1.6/1.8kg	780x70x60mm	1
SL244	32W		2.0/2.2kg	1010x70x60mm	1
SL245	40W		2.4/2.6kg	1240x70x60mm	1
SL783	46W		2.3/2.5kg	780x90x75mm	1
SL784	64W		2.9/3.1kg	1010x90x75mm	1
SL785	80W		3.8/4.0kg	1240x90x75mm	1

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL763	36W	0.5W/1W Gen-3 LED, directional function, 15-25 kinds Patterns to Choose. Cigar with power and pattern switches, Pattern Memory	2.3/2.5kg	780x90x75mm	1
SL764	48W		2.9/3.1kg	1010x90x75mm	1
SL765	60W		3.8/4.0kg	1240x90x75mm	1
SL683	48W		2.2/2.4kg	750x120x60mm	1
SL684	64W		2.9/3.1kg	970x120x60mm	1
SL685	40W		3.4/3.6kg	1200x120x60mm	1



SL333



SL334



SL633



SL634



SL343



SL344



SL663



SL664



SL334-S



SL364-S



SL686



SL363



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL333	18W	1W Gen-3 LED, directional function, 15-25 kinds Patterns to Choose. Cigar with power and pattern switches, Pattern Memory	1.711.9kg	650x60x60mm	1
SL334	24W		2.02.2kg	815x60x60mm	1
SL343	24W		1.411.6kg	810x60x60mm	1
SL344	32W		2.22.4kg	1030x60x60mm	1
SL334-S	24W		2.02.2kg	815x60x60mm	1
SL364-S	48W		2.12.3kg	1030x60x60mm	1

#### TECHNICAL PARAMETER


MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL633	36W	0.5W/1W Gen-3 LED, directional function, 15-25 kinds Patterns to Choose. Cigar with power and pattern switches, Pattern Memory	2.12.3kg	590x120x60mm	1
SL634	48W		2.83.0kg	770x120x60mm	1
SL663	36W		2.22.4kg	740x120x60mm	1
SL664	48W		2.93.1kg	970x120x60mm	1
SL686	48W		4.64.8kg	1430x120x60mm	1
SL363	36W		1.711.9kg	810x60x60mm	1




SL240



SL340



SL331-S



SL332-S




SL241



SL341



SL361



SL362




SL242




SL342



SL631



SL632




#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL240	4W	1W Gen-3 LED, 15-25 kinds Patterns to Choose, Cigar with power and pattern switches, Pattern Memory, "L" bracket	0.4/0.6kg	195x120x65mm	1
SL241	8W		0.6/0.8kg	320x120x65mm	1
SL242	16W		0.95/1.15kg	550x120x65mm	1
SL340	8W		0.7/0.8kg	180x120x60mm	1
SL341	8W		0.6/0.7kg	295x120x60mm	1
SL342	16W		0.95/1.2kg	500x120x60mm	1

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL331-S	6W	1W Gen-3 LED, 15-25 kinds Patterns to Choose, Cigar with power and pattern switches, Pattern Memory, "L" bracket	0.6/0.7kg	230x120x60mm	1
SL332-S	12W		0.95/1.2kg	400x120x60mm	1
SL361	12W		0.7/0.9kg	340x120x60mm	1
SL362	24W		1.2/1.4kg	620x120x60mm	1
SL631	12W		0.9/1.1kg	280x120x60mm	1
SL632	24W		1.4/1.6kg	410x120x60mm	1



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL761	12W	1W Gen-3 LED, 15-25 kinds Patterns	0.9/1.2kg	310x120x70mm	1
SL762	24W	to Choose, Cigar with power and pattern switches, Pattern Memory, "L" bracket	1.4/1.6kg	550x120x70mm	1
SL781	16W		0.9/1.2kg	310x120x70mm	1
SL782	32W		1.4/1.6kg	550x120x70mm	1

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL630	12W		1.1/1.3kg	280x120x60mm	1
SL680	16W		1.2/1.4kg	280x120x60mm	1
SL681	16W	1W Gen-3 LED, 15-25 kinds Patterns to Choose, Cigar with power and pattern switches, Pattern Memory, "L" bracket	1.0/1.2kg	280x120x60mm	1
SL682	32W		1.6/1.8kg	540x120x60mm	1
SL661	12W		0.9/1.2kg	280x120x60mm	1
SL662	24W		1.6/1.8kg	540x120x60mm	1

**HS-6**

MODEL:HS-6  
 Color:clear  
 Type:6  
 Volts:9-30V  
 Watts:6 x 15W


**HS-4**

MODEL:HS-4  
 Color:clear  
 Type:4  
 Volts:9-30V  
 Watts:4 x 15W


**HS-8**

MODEL:HS-8  
 Color:clear  
 Type:8  
 Volts:9-30V  
 Watts:8 x 15W





shielded cables(16ft)



strobe light heads(15W)



switch panel

**SL610**

**SL612-8**

**SL613-4**

**SL614-8**

**TECHNICAL PARAMETER**

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
SL610	12W	1W Gen-3 LED	0.5/0.6kg	230 x 170 x 50mm	1
SL612-8	16W	1W Gen-3 LED	0.5/0.6kg	170 x 223 x 50mm	1
SL613-4	16W	1W Gen-3 LED	0.8/1.0kg	170 x 223 x 50mm	1
SL614-8	32W	1W Gen-3 LED	1.8/1.9kg	230 x 170 x 50mm	1

**Accessories**


Plug of waterproof



PSK-08-WP



Controller with power and pattern switches



LED-134-a



LED-44-a



TBDGA416b



TBDGA416a



TBDGA416a



TBDGA418a



TBDGA416b



TBDGA418b



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
LED-134a	18W	1 S Gen-1 LED	1.213.5kg	300 x 230 x 75mm	1
LED-44a	5W	1 S Gen-1 LED	1.171.2kg	195 x 155 x 105mm	2
TBDGA416b-LED	10W	1 S Gen-1 LED	1.211.3kg	250 x 215 x 70mm	1
TBDGA416a-LED	5W	1 S Gen-1 LED	0.911kg	195 x 155 x 105mm	1
TBDGA416a	20W	U type Xenon tube	1.171.2kg	195 x 155 x 105mm	1
TBDGA418a	40W	U type Xenon tube	2.12.2kg	195 x 155 x 105mm	1
TBDGA416b	40W	Xenon tube	1.211.3kg	250 x 215 x 70mm	1
TBDGA418b	80W	Xenon tube	2.22.3kg	250 x 215 x 155mm	1

#### Accessories




PSK-02/04

TBD08966-14-4T



CP-03



TBD08966-14-3T



TBD08966-14-4L



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD08966-14-4T	56W	1W Gen-3 LED	8.0/8.5kg	760 x 370 x 200mm	1
TBD08966-14-3T	42W	1W Gen-3 LED	8.0/8.5kg	760 x 370 x 200mm	1
TBD08966-14-4L	56W	1W Gen-3 LED	8.0/8.5kg	760 x 370 x 200mm	1



TIR 4 tubes




TIR 3 tubes



TBD09946-6a




CP-03




TBD0898-6a




CP-03



TBD09966-10a



TBD0898-6h



TBD09986-14a



TBD0898-6j



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W./G.W	PACKING SIZE	QTY PER CARTON
TBD09946-6a	24W	1W Gen-3 LED	2.1/2.3kg	400 x 330 x 160mm	1
TBD09966-10a	40W	1W Gen-3 LED	4.5/5.0kg	630 x 330 x 160mm	1
TBD09986-14a	56W	1W Gen-3 LED	7.4/9.4kg	880 x 340 x 170mm	1

 TIR 4 tubes

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W./G.W	PACKING SIZE	QTY PER CARTON
TBD0898-6a	24W	1W Gen-3 LED	2.7/3.0kg	405 x 225 x 85mm	1
TBD0898-6h	36W	1W Gen-3 LED	2.7/3.0kg	405 x 225 x 85mm	1
TBD0898-6j	36W	1W Gen-3 LED	2.7/3.0kg	405 x 225 x 85mm	1

 TIR 6 tubes


 Reflector 6 tubes

 Reflector 6 tubes




TBD0696-8-4L

CP-03



TBD0696-8e


CP-03



TBD0696-8-6L



TBD 0696-4g4h



TBD0696-8a1



TBD0696-20f



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD0696-8-4L	32W	1W Gen-3 LED	2.6/3.1kg	470 × 230 × 90mm	1
TBD0696-8-6L	48W	1W Gen-3 LED	2.6/3.1kg	470 × 230 × 90mm	1
TBD0696-8a1	32W	1W Gen-3 LED	2.6/3.1kg	470 × 230 × 90mm	1

TIR 4 tubes
 Linear6tubes
 Linear 4 tubes

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD0696-8e	48W	1W Gen-3 LED	2.6/3.1kg	470 × 230 × 90mm	1
TBD0696-4g4h	36W	1W Gen-3 LED	2.6/3.1kg	470 × 230 × 90mm	1
TBD0696-20f	40W	1W Gen-3 LED	2.9/3.3kg	470 × 230 × 90mm	1

TIR 3 tubes
 TIR 6 tubes
 Double layer TIR 6 tubes
 TIR 2 tubes





TBD02451



TBD02456-2B



TBD02456-6



TBD02656-6a



#### TECHNICAL PARAMETER



MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD02451	110W	Halogen H1 Rotator	2.5/2.6kg	480 × 200 × 220mm	1
TBD02456-2B	16W	5 Gen-1 LED	2.5/2.6kg	480 × 200 × 220mm	1
TBD02456-6	21W	5 Gen-1 LED	2.5/2.6kg	480 × 200 × 220mm	1
TBD02456-6a	10W	5 Gen-1 LED	2.5/2.6kg	480 × 200 × 220mm	1

H1 rotator
 Reflector
 Reflector
 43 Gen-1 LED
 Square LED


CP-02




CP-03




TBD03966




TBD07966



TBD05166



TBD04451



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD07966	56W	1W Gen-3 LED	5.2/5.6kg	660 × 375 × 190mm	1
TBD03966	56W	1W Gen-3 LED	5.85/6.25kg	760 × 370 × 200mm	1
TBD05166	35W	5 Gen-1 LED	8.5/9.0kg	670 × 375 × 400mm	2
TBD04451	70W	Halogen Rotator	8.0/9.0kg	1240 × 390 × 250mm	2

CP-02



TIR 4 tubes

CP-02



Rectanglo LED

CP-03



Square LED



Halogen rotator



TBD08926-22-4L



TBD08926-22-4L



TBD08926-22-4T



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD08926-22-4L	88W	1W Gen-3 LED	16/18kg	1270 x 370 x 200mm	1
TBD08926-22-4L	88W	1W Gen-3 LED	16/18kg	1270 x 370 x 200mm	1
TBD08926-22-4T	88W	1W Gen-3 LED	16/18kg	1270 x 370 x 200mm	1

 TIR 4 tubes  Linear 4 tubes

TBD09926-22-3T



TBD09926-22-4a



TBD09916-18a



TBD09956-26-4a



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD09926-22-3T	66W	1W Gen-3 LED	10/12kg	1320 x 380 x 220mm	1
TBD09926-22-4a	88W	1W Gen-3 LED	10/12kg	1320 x 380 x 220mm	1
TBD09916-18a	72W	1W Gen-3 LED	8.4/10kg	1080 x 380 x 220mm	1
TBD09956-26-4a	104W	1W Gen-3 LED	12/14kg	1550 x 380 x 220mm	1


 TIR 3 tubes  TIR 4 tubes



TBD10426-22e



TBD14226-20a-S




TBD11122



TBD14126-16b-S



TBD12126-22e



TBD14226-18d2a-S



TBD16426-5-18a



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD10426-22e	132W	1W Gen-3 LED	12.2/14.2kg	1270 x 380 x 210mm	1
TBD11122	232W	Halogen Rotator	11.2/13kg	1270 x 380 x 290mm	1
TBD12126-22e	132W	1W Gen-3 LED	14.5/16.5kg	1200 x 520 x 210mm	1
TBD16126-5-18a	247W	1W Gen-3 LED Halogen Rotator	11.7/13.7kg	1270 x 360 x 270mm	1

#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD14226-20a-s	80W	1W Gen-3 LED	16.5kg	1320 x 380 x 220mm	1
TBD14126-16b-s	144W	1W Gen-3 LED	17.5kg	1320 x 380 x 220mm	1
TBD14226-18d2a-s	116W	1W Gen-3 LED	17.5kg	1320 x 380 x 220mm	1

Reflector  
 Halogen rotator  
 Halogen flash light  
 V type reflector  
 TIR 4 tubes  
 Double layer TIR 6 tubes

TIR 4 tubes  
 Linear 8 tubes  
 Waves TIR 6 tubes





TBD06126



TBD06126-1



TBD06126-16a6h



TBD06456



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD06126	60W	1 S Gen-1 LED	17.5/19.5kg	1300 × 390 × 300mm	1
TBD06126	60W	1 S Gen-1 LED	17/19kg	1300 × 390 × 300mm	1
TBD06126-16a6h	100W	1W Gen-3 LED	19.2/20.8kg	1300 × 390 × 300mm	1
TBD06456	60W	1 S Gen-1 LED	20/22kg	1700 × 390 × 300mm	1

Square LED 
 Rectangle LED 
 Double layer 
 TIR 6 tubes

TBD07226-20b2g



TBD07926-20a-S



TBD07426-22a



TBD07126-12h6a



TBD07696-16b2g



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD07226-20b2g	166W	1W Gen-3 LED	10.5/11.5kg	1270 × 380 × 200mm	1
TBD07926-20a-S	80W	1W Gen-3 LED	12.5/13.5kg	1270 × 380 × 200mm	1
TBD07426-22a	88W	1W Gen-3 LED	10.5/11.5kg	1270 × 380 × 200mm	1
TBD07126-12h6a	96W	1W Gen-3 LED	10.5/11.5kg	1270 × 380 × 200mm	1
TBD07696-16b2g	134W	1W Gen-3 LED	9.5/10.5kg	960 × 380 × 200mm	1

Linear 8 tubes 
 TIR 3 tubes 
 TIR 4 tubes 
 TIR 6 tubes



TBD03926-22a



TBD03956-26a



TBD05626-100




#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD03926-22a	88W	1W Gen-3 LED	17/19kg	1260 x 370 x 190mm	1
TBD03956-26a	104W	1W Gen-3 LED	19/21kg	1480 x 370 x 190mm	1
TBD05626-100	60W	1 Gen-1 LED	19.2/20.8kg	1270 x 370 x 230mm	1

Square LED 
 Rectangle LED 
 TIFI 4 tubes


TBD04126



TBD04426-1



TBD04416



TBD04122



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD04126	60W	1 Gen-1 LED	14.3/16.3kg	1240 x 390 x 250mm	1
TBD04426-1	60W	1 Gen-1 LED	8.8/10.8kg	1240 x 390 x 250mm	1
TBD04416	50W	1 Gen-1 LED	12.8/14.9kg	1240 x 390 x 250mm	1
TBD04122	252W	Halogen Rotator	12.2/14.2kg	1240 x 390 x 250mm	1

Square LED 
 Rectangle LED 
 Halogen bulb 
 Halogen rotator 
 Halogen flash light



TBD01126-16a12f



TBD01126



TBD01122



TBD01466



TBD01486



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD01126-16a12f	88W	1W Gen-3 LED	16/18kg	1270 x 380 x 290mm	1
TBD01126	60W	5 Gen-1 LED	18/19kg	1270 x 380 x 290mm	1
TBD01122	252W	Halogen Rotator	16/18kg	1270 x 380 x 290mm	1
TBD01466	48W	5 Gen-1 LED	20.5/22.5kg	1670 x 380 x 290mm	1
TBD01486	58W	5 Gen-1 LED	24/26kg	1870 x 380 x 290mm	1

Double layer TIR 4tubes 
 Double layer / Reflector 
 Halogen rotator 
 Halogen flash light 
 Square LED 
 Rectanglo LED

TBD02326--24a4g8h+2H3



TBD02426



TBD02222



TBD02326-36e



TBD02466



#### TECHNICAL PARAMETER

MODEL	POWER	LIGHT SOURCES	N.W/G.W	PACKING SIZE	QTY PER CARTON
TBD02326--24a4g8h+2H3220W	220W	1W Gen-3 LED	21/23kg	1250 x 370 x 270mm	1
TBD02426	152W	5 Gen-1 LED	14.6/16.6kg	1250 x 370 x 270mm	1
TBD02222	252W	Halogen Rotator	13.7/15.7kg	1250 x 370 x 270mm	1
TBD02326-36e	216W	1W Gen-3 LED	18/19kg	1250 x 370 x 270mm	1
TBD02466	162W	5 Gen-1 LED	17.8/18.8kg	1650 x 370 x 270mm	1

Double layer 
 TIR 6 tubes 
 Halogen flash light / Reflector 
 Halogen rotator 
 Square LED 
 HD halogen flash light 
 Double layer TIR 6 tubes 
 Rectanglo LED

CJB-80CD



PA300



CJB-100RD



CJB-150B



CJB-100CD



CJB-100AD



CJB-200RD-A



CJB-300WD



CJB-150CD



CJB-200AD



CJB-100DC



CJB-400FD


**TECHNICAL PARAMETER**

MODEL	POWER	TONE	LIGHT SWITCHES	OTHER POWER SELECTION
CJB-80CD	80W	6+2	2	100W,150W
CJB-100CD	100W	6+2	2	80W,150W
CJB-150CD	150W	6+2	2	80W,100W
PA300	100W	5+2	0	80W,150W,200W
CJB-100AD	100W	5+2	2	80W,150W,200W
CJB-200AD	200W	5+2	2	80W, 100W, 150W


**TECHNICAL PARAMETER**

MODEL	POWER	TONE	LIGHT SWITCHES	OTHER POWER SELECTION
CJB-100RD	100W	6+2	3	150W,200W
CJB-200RD-A	200W	7	3	100W,150W
CJB-100DC	100W	3	6	150W,200W,300W,400W
CJB-150B	150W	6+2	0	100W,200W
CJB-300WD	300W	7	3	400W
CJB-400FD	400W	7	4	300W

YSQ-100S




YSQ-100Y2




YSQ-100Y1



YSQ-100H



YSQ-100Q



YSQ-100B



YSQ-80B


**TECHNICAL PARAMETER**

MODEL	POWER	IMPEDANCE	FREQUENCY RANGE	SOUND PRESSURE	N.W(KG)
YSQ-100S	100W	8Ω	400-4000Hz	120-130dB	3.1
YSQ-100Y2	100W	8Ω	400-4000Hz	120-130dB	2.5
YSQ-100Y1	100W	8Ω	400-4000Hz	120-130dB	2.6
YSQ-100H	100W	8Ω	400-4000Hz	120-130dB	2.7
YSQ-100Q	100W	8Ω	400-4000Hz	120-130dB	2.8
YSQ-100B	100W	8Ω	400-4000Hz	120-130dB	3.2
YSQ-80B	80W	16Ω	300-5000Hz	115-122dB	2

YSQ-80



YSQ-150



YSQ-100-3000



YSQ-100-7000



YSQ-100F1



YSQ-100



YSQ-200




YSQ-100-5000



YSQ-100-14000



YSQ-100F2


**TECHNICAL PARAMETER**

MODEL	POWER	IMPEDANCE	FREQUENCY RANGE	SOUND PRESSURE	N.W(KG)
YSQ-80	80W	16Ω	300-5000Hz	115-122dB	2.7
YSQ-100	100W	8Ω	400-4000Hz	120-130dB	3
YSQ-150	150W	8Ω	200-4500Hz	120-130dB	3.3
YSQ-200	200W	4Ω	300-4600Hz	120-130dB	3.5
YSQ-100-3000	100W	8Ω	400-4000Hz	120-130dB	3.6
YSQ-100-5000	100W	8Ω	400-4000Hz	120-130dB	3.3
YSQ-100-7000	100W	8Ω	400-4000Hz	120-130dB	2.1
YSQ-100-14000	100W	8Ω	400-4000Hz	120-130dB	3.7
YSQ-100F1	100W	8Ω	400-4000Hz	120-130dB	2.6
YSQ-100F2	100W	8Ω	400-4000Hz	120-130dB	2.6





BD-05-6231



BD-05-6201



BD-05-6241



BD-06-6201



BD-06-6241



BD-07-6231



BD-07-6201



BD-07-6241



BD-01/02/03/04-6231



BD-01/02/03/04-6201



BD-01/02/03/04-6241



BD-01/02/03/04-623



BD-01/02/03/04-620



HOOK-180



HOOK-181



HOOK-182



HOOK-183



HOOK-184



HOOK-185



HOOK-186



HOOK-187



HOOK-188



HOOK-15



HOOK-21-1



HOOK-21-2



HOOK-33-1



HOOK-33-2



HOOK-43-1



HOOK-60-2



TA-7



TA-3



BCQ-04



DK-11



DK-12



DK-13



DK-11-D



DK-03-4



DK-03-5



CP-01



CP-02



CP-03



ODS-01



HF-22



HM-WP

LZJ-A5



LZJ-A7a



LZJ-A7b



LZJ-10


**TECHNICAL PARAMETER**

MODEL	LENGTH OF EXTENSION	BRACKET MATERIAL	SPIKE MATERIAL	QUANTITY OF SPIKE	CASE MATERIAL	PACKING SIZE(mm)	G.W(kg)
LZJ-A3	2.8m	super tough nylon	stainless steel tubes	75	ABS	525 × 93 × 450mm	5.5
LZJ-A5	4.72m			115		565 × 93 × 450mm	7.5
LZJ-A7a	7.10m			165		620 × 140 × 540mm	13.2
LZJ-A10a	9.68m			225		780 × 540 × 135mm	16.7
LZJ-6	6m	Aluminum bracket	Zinc-alloy triangular anti-thorn	119	Iron box	470 × 490 × 110mm	14
LZJ-8	8m			159		500 × 490 × 110mm	17
LZJ-10	10m			199		710 × 490 × 110mm	20.7

FBF-B-L1



FBF-B-L2



FBF-B-L1-MC



MTK-O9L



MTK(4mmzj)-C-A



FBK-6L



QWK-9L



FBK-6L-LC



FBK(2mmqj)-208



MTK-C-9L



MTK-interphone3mm



FDK-6L



DSK-6L



MTK-D9L



FDJ-02



FDF-01



HZ-01



HX-01



HX-02


 FBPT-01  
(900 × 500 × 3.5mm)

 FBPT-03  
(1000 × 560 × 4mm)

 FBPT-02  
(1100 × 600 × 3.5mm)


JG-T





TCP-03



TCP-04



JBL-900



TCP-01



TCP-02



Fgy-01



LZ-01



LZ-02



JJD-02

WARNING LIGHTBAR:



SPEAKER POWER  
SPECIFICATION CODE  
LENGTH CODE  
COLOR CODE  
SHAPE CODE  
FUNCTION CODE  
LIGHT BAR MODEL

SIREN:



SIREN MODEL  
SIREN POWER  
SIREN MODEL CODE

SMALL LAMP:



MOUNTING WAY  
SPECIFICATION CODE  
COLOR CODE  
SHAPE CODE  
FUNCTION CODE  
LIGHT BAR MODEL

THE OTHER:



SPECIFICATION CODE  
COLOR CODE  
DIFFERENT PRODUCTS\* CODE



TIR 3 tubes



Square LED



Linear 4 tubes



Double layer TIR 6 tubes



Rectangle LED



Linear 6 tubes



TIR 6 tubes



Reflector 6 tubes



Linear 8 tubes



TIR 4 tubes



Reflector



Halogen bulb



TIR 2 tubes



V type reflector



Halogen rotator



Waves TIR 6 tubes



Reflector



H1 rotator



Double layer TIR 4 tubes



Halogen flash light



Double layer



H3 halogen flash light